

What's New In Database 18c You Wont' Hear About From Oracle

Unsafe Harbor

- This room is an unsafe harbor
- You can rely on the information in this presentation to help you protect your data, your databases, your organization, and your career
- No one from Oracle has previewed this presentation
- No one from Oracle knows what I'm going to say
- No one from Oracle has supplied any of my materials
- Everything I will present is existing, proven, functionality



Introduction



Daniel Morgan

Oracle ACE Director Alumni

- Oracle Educator

- Curriculum author and primary program instructor at University of Washington

- Consultant: Harvard University

- University Guest Lecturers

- APAC: University of Canterbury (NZ)

- EMEA: University of Oslo (Norway)

- Latin America: Universidad Cenfotec, Universidad Latina de Panama, Technologico de Costa Rica

- IT Professional

- First computer: IBM 360/40 in 1969: Fortran IV

- Oracle Database since 1988-9 and Oracle Beta tester

- The Morgan behind www.morganslibrary.org

- Member Oracle Data Integration Solutions Partner Advisory Council

- Vice President Twin Cities Oracle Users Group (Minneapolis-St. Paul)

- Co-Founder International GoldenGate Oracle Users Group

- Principal Adviser: Sirius **Meta7**



System/370-145 system console



My Websites: Morgan's Library

www.morganslibrary.org

Morgan's Library

International Oracle Events 2016-2017 Calendar

The library is a spam-free on-line resource with code demos for DBAs and Developers. If you would like to see new Oracle database functionality added to the library ... just email us. Oracle Database 12cR2 is now available in the Cloud. If you are not already working in a 12cR1 CDB database ... you are late to the party and you are losing your competitive edge.

Home

Resources

[Library](#)
[How Can I?](#)
[Presentations](#)
[Links](#)
[Book Reviews](#)
[Downloads](#)
[User Groups](#)
[Blog](#)
[Humor](#)

General

[Contact](#)
[About](#)
[Services](#)
[Legal Notice & Terms of Use](#)
[Privacy Statement](#)

Presentations Map



Mad Dog Morgan



Training Events and Travels

- [OTN APAC, Sydney, Australia - Oct 31](#)
- [OTN APAC, Gold Coast, Australia - Nov 02](#)
- [OTN APAC, Beijing China - Nov 04-05](#)
- [OTN APAC, Shanghai China - Nov 06](#)
- [Sangam16, Bangalore, India - Nov 11-12](#)
- [NYOUG, New York City - Dec 07](#)

Next Event: Indiana Oracle Users Group

Morgan



Library News

- [Morgan's Blog](#)
- [Morgan's Oracle Podcast](#)
- [US Govt. Mil. STIGs \(Security Checklists\)](#)
- [Bryn Llewellyn's PL/SQL White Paper](#)
- [Bryn Llewellyn's Editioning White Paper](#)
- [Explain Plan White Paper](#)

Oracle Events



Click on the map to find an event near you

ACE News

Would you like to become an Oracle ACE? 

Learn more about becoming an ACE



- [ACE Directory](#)
- [ACE Google Map](#)
- [ACE Program](#)
- [Stanley's Blog](#)

This site is maintained by Dan Morgan. Last Updated: 11/08/2016 22:25:14

This site is protected by copyright and trademark laws under U.S. and International law. ©1998-2016 Daniel A. Morgan All Rights Reserved

[ORACLE OTN](#) [Oracle Mix](#) [Share](#) [Twitter](#) [Facebook](#) [Library](#) [Contact Us](#) [Privacy Statement](#) [Legal Notices & Terms of Use](#)

www.morganslibrary.org



ForbesBrandVoice® [What is this?](#)

JAN 15, 2018 @ 05:00 AM 20,020

3 Essential DBA Career Priorities For 2018

 **OracleVoice**
Simplify IT, Drive Innovation [FULL BIO](#) ▾

 **Jeff Erickson**, Oracle

Many database administrators (DBAs) will go into 2018 wondering if “self-driving” databases will weaken their career prospects. More likely, 2018 will be a year that database technology leaps forward and these valuable data experts take on other, more important responsibilities.

“History is repeating itself,” says longtime DBA Dan Morgan, founder of [Morgan’s Library](#) and principal adviser at tech firm Meta7. Morgan has seen the DBA role evolve amid a long series of technical advances in storage, management, and performance. And each advance asked DBAs to adjust the way they work.



Meta7 is a Division of Sirius



7th straight year CRN Top 50 Providers



- Sirius acquired Forsythe Nov 1, 2017
- Combined we are a \$3.5B consultancy and VAR
- World's largest IBM integrator
- Second largest security integrator in North America
- Our focus areas
 - Silicon up through Data Integration
 - Stability
 - Security
 - Scalability




Consider The Following

- Oracle 18.1 has been released for Exadata and in the Oracle Cloud
 - Oracle Database 18.2 is scheduled for release in April
 - 18.3 in Q3, 18.4 in Q4
 - And 19.1 in just 9 months
- `./runInstaller` is altered to improve Cloud compatibility
- Oracle is moving toward deprecating SYSDBA
 - We now have privileged users named GGSYS, SYSBACKUP, SYSDG, SYSKM, SYSRAC
- The Oracle Database on Linux is moving to rpms with installation and patching fully automated from a YUM server
- The database's kernel to minimize patching outages
- Expect OEM, and other tools, to manage the database through the REST API







Introduction to Database 12c




A Brief History of the Oracle Database




A Brief History of the Oracle Database




A Brief History of the Oracle Database



A Brief History of the Oracle Database




A Brief History of the Oracle Database







New Physical Architecture




New 12cR1 Container Database Architecture




New 12cR2 Container Database Architecture




New 12cR1 Container Database Architecture




New 12cR2 Container Database Architecture



New 12cR1 Container Database User Architecture



New 12cR2 Container Database User Architecture



Users (1:2)

New: 12cR1

AUDSYS
GSMADMIN_INTERNAL
GSMCATUSER
GSMUSER
PDBADMIN
SYSBACKUP
SYSDG
SYSKM

New: 12cR2

APEX_050100
APEX_INSTANCE_ADMIN_USER
APEX_LISTENER
APEX_REST_PUBLIC_USER
DBJSON
DBSFWUSER
GGSYS
HRREST
OBE
ORDS_METADATA
ORDS_PUBLIC_USER
REMOTE_SCHEDULER_AGENT
RESTFUL
SYS\$UMF
SYSRAC
XDBEXT
XDBPM
XFILES

Dropped
SPATIAL_WFS_USR




New Users With Escalated Privil

USERNAME	Usage
GGSYS	The internal account used by Oracle GoldenGate. It should not be unlocked or used for a database login.
SYSBACKUP	This privilege allows a user to perform backup and recovery operations either from Oracle Recovery Manager (RMAN) or SQL*Plus.
SYSDG	This privilege allows a user to perform Data Guard operations can use this privilege with either Data Guard Broker or the DGMGRL command-line interface.
SYSKM	This privilege allows a user to perform Transparent Data Encryption keystore operations.
SYSRAC	<p>This privilege allows the Oracle agent of Oracle Clusterware to perform Oracle Real Application Clusters (Oracle RAC) operations.</p> <p>SYSRAC facilitates Oracle Real Application Clusters (Oracle RAC) operations by connecting to the database by the Clusterware agent on behalf of Oracle RAC utilities such as SRVCTL.</p>





The Multitenant Business Case



In Business Computing Only Two Things Matter

QOS

TCO



Technical and Business Considerations

- Increased QoS
 - Enhanced security
 - New features such as Lockdown Profiles
- Lower TCO
 - Substantial consolidation
 - Fewer manual operations required to support
 - Patching
 - Replatforming
 - Migration



The Perfect Case for Applications Containers (1:2)

- An SaaS service provider like SalesForce.com
- Prior to application containers they have three choices


Architecture	Issue
Put every customers data into shared tables	Security is provided by application code No physical separation of customer's data A breach compromises everyone's data
Put each customer into a separate schema	Each new customer requires creation of a new user Each new customer requires creation of new tablespaces
Put every customer into a separate database	If each database requires 4GB of memory ... do the math

- And each of these solutions requires that
 - Security is provided by application code
 - You abandon any hope of separation of duties
 - You ignore GDPR
 - You perform application patching and maintenance once per customer




The Perfect Case for Applications Containers (2:2)

- With application containers the application exists in only one place ... where it is logically and physically isolated inheriting the data dictionary from ROOT
 - Install once for all customers
 - Patch once for all customers
 - Maintain once for all customers




The Perfect Case for Applications Containers (2:2)

- Each customer, isolated in their own PDB, inherits the application by pointer from the **Application Root**
 - Metadata Sharing (DDL)
 - Data Sharing (DDL + data)




The Perfect Case for Applications Containers (2:2)

- Create **version two** of the application in a new **Application Root**




The Perfect Case for Applications Containers (2:2)

- Migrate your customers one-at-a-time to the new version in seconds with no outage or impact to any other customer





Create Application Root Container



Application Containers Demo 1: Create Application Root (1:4)

```
CREATE PLUGGABLE DATABASE <pdb_name> AS <APPLICATION CONTAINER | SEED>
ADMIN USER <admin_user_name> IDENTIFIED BY <password>
[ROLES = (<comma_delimited_list_of_roles>)]
[PARALLEL <integer>]
[DEFAULT TABLESPACE <tablespace_name>]
[<pdb_storage_clause>]
[<file_name_convert_clause>]
[<service_name_convert_clause>]
[<path_prefix_clause>]
[TEMPFILE REUSE]
[<user_tablespace_clause>]
[<standby_database_clause>]
[<LOGGING | NOLOGGING | FILESYSTEM_LIKE_LOGGING>]
[<create_file_dest_clause>]
[HOST = '<host_name>']
[PORT = <port_number>];
```



Application Containers Demo 1: Create Application Root (2:4)

```
conn sys@orabase as sysdba
Enter password:
Connected.
```

```
sho con_id
```

```
CON_ID
-----
1
```

```
show con_name
```

```
CON_NAME
-----
CDB$ROOT
```

```
SELECT name, open_mode, application_root,
application_pdb, application_seed, pdb_count
FROM v$containers
ORDER BY con_id;
```

NAME	OPEN_MODE	APP	APP	APP	PDB_COUNT
CDB\$ROOT	READ WRITE	NO	NO	NO	2
PDB\$SEED	READ ONLY	NO	NO	NO	0
PDBDEV	READ WRITE	NO	NO	NO	0

```
-- as desirable as it would be to do so you cannot use
special characters in a PDB name
CREATE PLUGGABLE DATABASE uwapp_root
AS APPLICATION CONTAINER
ADMIN USER uwAdmin IDENTIFIED BY uwAdmin
ROLES = (APP_DBA)
DEFAULT TABLESPACE uwapp_tbs
FILE_NAME_CONVERT = ('/pdbseed/','/uwapp/')
USER_TABLESPACES = NONE
LOGGING;
```

```
Pluggable database created.
```

```
SELECT name, open_mode, application_root,
application_pdb, application_seed, pdb_count
FROM v$containers
ORDER BY con_id;
```

NAME	OPEN_MODE	APP	APP	APP	PDB_COUNT
CDB\$ROOT	READ WRITE	NO	NO	NO	3
PDB\$SEED	READ ONLY	NO	NO	NO	0
PDBDEV	READ WRITE	NO	NO	NO	0
UWAPP_ROOT	MOUNTED	YES	NO	NO	0

```
ALTER PLUGGABLE DATABASE uwapp_root OPEN;
```

```
Pluggable database altered.
```



Application Containers Demo 1: Create Application Root (3:4)

```
SELECT name, creation_date, clb_goal, pdb
FROM v$services
ORDER BY 1;

NAME          CREATION_DATE      CLB_G  PDB
-----
SYS$BACKGROUND 26-JAN-2017 13:54:44 SHORT  CDB$ROOT
SYS$USERS       26-JAN-2017 13:54:44 SHORT  CDB$ROOT
uwapp_root      26-MAR-2017 17:09:28 LONG   UWAPP$ROOT
pdbdev          02-MAR-2017 07:57:37 LONG   PDBDEV
orabase          02-MAR-2017 07:52:46 LONG   CDB$ROOT
orabaseXDB       02-MAR-2017 07:52:46 LONG   CDB$ROOT

ALTER SESSION SET CONTAINER=uwapp_root;

Session altered.

sho con_id

CON_ID
-----
4
show con_name

CON_NAME
-----
UWAPP$ROOT
```



Application Containers Demo 1: Create Application Root (4:4)


```
SELECT tablespace_name TBS_NAME, file_name
  FROM dba_data_files
UNION
SELECT tablespace_name, file_name
  FROM dba_temp_files
 ORDER BY 1;

TBS_NAME FILE_NAME
-----
SYSAUX    /u01/app/oracle/oradata/orabase/uwapp/sysaux01.dbf
SYSTEM     /u01/app/oracle/oradata/orabase/uwapp/system01.dbf
TEMP      /u01/app/oracle/oradata/orabase/uwapp/temp012017-03-02_07-53-20-031-AM.dbf
UNDOTBS1  /u01/app/oracle/oradata/orabase/uwapp/undotbs01.dbf
```





Application Installation



Application Containers Demo 2: Application Installation (1:5)

```
ALTER PLUGGABLE DATABASE APPLICATION
{ { app_name
| BEGIN INSTALL 'app_version' [ COMMENT 'comment' ]
| END INSTALL [ 'app_version' ]
| BEGIN PATCH number [ MINIMUM VERSION 'app_version' ] [ COMMENT
'comment' ]
| END PATCH [ number ]
| BEGIN UPGRADE 'start_app_version' TO 'end_app_version' [ COMMENT
'comment' ]
| END UPGRADE [ TO 'end_app_version' ]
| BEGIN UNINSTALL
| END UNINSTALL
| SET PATCH number
| SET VERSION 'app_version'
| SET COMPATIBILITY VERSION { 'app_version' | CURRENT }
| SYNC }
|
{ ALL SYNC }
```



Application Containers Demo 2: Application Installation (2:5)

```
ALTER PLUGGABLE DATABASE APPLICATION uw_app BEGIN INSTALL '1.0';

Pluggable database altered.

CREATE TABLESPACE uwapp_tbs
DATAFILE '/u01/app/oracle/oradata/orcl12c/uwapp/uwapp_tbs'
SIZE 25M AUTOEXTEND ON NEXT 25M;

Tablespace created.

-- create user
CREATE USER uwapp_user IDENTIFIED BY uwapp_user
DEFAULT TABLESPACE uwapp_tbs
TEMPORARY TABLESPACE temp
QUOTA UNLIMITED ON uwapp_tbs;

User created.

GRANT create session TO uwapp_owner;
GRANT create procedure TO uwapp_owner
GRANT create table TO uwapp_owner;
GRANT create view TO uwapp_owner;

Grant succeeded.
```



Application Containers Demo 2: Application Installation (3:5)

```
CREATE OR REPLACE PROCEDURE uwapp_owner.who_am_i AUTHID DEFINER
IS
BEGIN
    dbms_output.put_line('I do not know');
END who_am_i;
/

CREATE TABLE uwapp_owner.t1 (
    tid      NUMBER(10),
    last_name VARCHAR2(20));

ALTER TABLE uwapp_owner.t1
ADD PRIMARY KEY (tid);

CREATE TABLE uwapp_owner.t2(
    tid NUMBER(10),
    last_name VARCHAR2(20));

ALTER TABLE uwapp_owner.t2
ADD PRIMARY KEY (tid);

CREATE VIEW uwapp_owner.t1t2_view AS
SELECT t1.tid, t2.last_name
FROM uwapp_user.t1, uwapp_user.t2
WHERE t1.tid = t2.tid;
```



Application Containers Demo 2: Application Installation (4:5)

```
INSERT INTO uwapp_owner.t1 VALUES (1, 'MORGAN');
INSERT INTO uwapp_owner.t1 VALUES (2, 'KYTE');
INSERT INTO uwapp_owner.t1 VALUES (3, 'LEWIS');
INSERT INTO uwapp_owner.t2 VALUES (1, 'TOWNSEND');
INSERT INTO uwapp_owner.t2 VALUES (2, 'KURIAN');
COMMIT;
```

```
SELECT * FROM uwapp_user.t1t2_view;
```

```
SQL> SELECT * FROM uwapp_user.t1t2_view;
```

TID	LAST_NAME
1	TOWNSEND
2	KURIAN

```
ALTER PLUGGABLE DATABASE APPLICATION uw_app END INSTALL;
```

```
Pluggable database altered.
```



Application Containers Demo 2: Application Installation (5:5)

```
col app_name format a10
col app_version format a12

SELECT app_name, app_version, app_status, app_implicit
FROM dba_applications
WHERE app_name = 'UW_APP';

APP_NAME      APP_VERSION    APP_STATUS    A
-----  -----  -----
UW_APP        1.0            NORMAL        N

-- if there are application PDBs, under the application root
-- container, exit and synchronize them with their root with
-- ALTER APPLICATION PDB
```



Application Containers Demo 3: Sharable Objects (1:3)

```
SQL> CREATE TABLE servers (
  2  srvr_id NUMBER(10),
  3  network_id NUMBER(10),
  4  status VARCHAR2(1),
  5  latitude FLOAT(20),
  6  longitude FLOAT(20),
  7  netaddress VARCHAR2(15));

Table created.

SQL> CREATE TABLE serv_inst
  2  SHARING=METADATA (
  3  siid NUMBER(10),
  4  si_status VARCHAR2(15),
  5  type VARCHAR2(5),
  6  installstatus VARCHAR2(1),
  7  location_code NUMBER(10),
  8  custacct_id VARCHAR2(10),
  9  srvr_id NUMBER(10),
 10* ws_id NUMBER(10));
SHARING=METADATA
*
ERROR at line 9:
ORA-00922: missing or invalid option

SQL> show parameter default_sharing

NAME          TYPE        VALUE
-----        -----
default_sharing  string      METADATA
```



Application Containers Demo 3: Sharable Objects (2:3)

```
SQL> ALTER PLUGGABLE DATABASE APPLICATION uw_app BEGIN INSTALL '1.0';
ALTER PLUGGABLE DATABASE APPLICATION uw_app BEGIN INSTALL '1.0'
*
ERROR at line 1:
ORA-65221: application UW_APP exists already

SQL> ALTER PLUGGABLE DATABASE APPLICATION uw_app
  2  BEGIN UPGRADE '1.0' TO '2.0'
  3  COMMENT 'Adding New Table With Sharing';

SQL> CREATE TABLE serv_inst
  2  SHARING=METADATA (
  3  siid NUMBER(10),
  4  si_status VARCHAR2(15),
  5  type VARCHAR2(5),
  6  installstatus VARCHAR2(1),
  7  location_code NUMBER(10),
  8  custacct_id VARCHAR2(10),
  9  srvr_id NUMBER(10),
10* ws_id NUMBER(10));

Table created.
```



Application Containers Demo 3: Sharable Objects (3:3)

```
SQL> ALTER PLUGGABLE DATABASE APPLICATION uw_app END UPGRADE;

SQL> desc dba_applications
Name          Null?    Type
-----
APP_NAME
APP_ID
APP_VERSION
APP_STATUS
APP_IMPLICIT
APP_CAPTURE_SERVICE
APP_CAPTURE_MODULE

col app_name format a37


SQL> SELECT app_name, app_id, app_version, app_status, app_implicit
  2  FROM dba_applications;

APP_NAME          APP_ID APP_VERSION APP_STATUS A
-----          -----      -----      -----  -
APP$4BAF1A01C5964D55E0530100007F821B          2 1.0      NORMAL   Y
UW_APP           21  2.0      NORMAL   N
```





Application Seed Creation



Application Containers Demo 4: Create Seed (1:5)

```
CREATE PLUGGABLE DATABASE AS SEED FROM uwapp_root
ADMIN USER uwappAdmin IDENTIFIED BY uwappAdmin
FILE_NAME_CONVERT = ('/uwapp/', '/uwappseed/')
LOGGING;

SQL> SELECT con_id, name, open_mode, application_root, application_pdb,
application_seed
  2  FROM v$containers
  3  ORDER BY con_id;

CON_ID  NAME          OPEN_MODE    APP  APP  APP
-----  -----          -----    APP  APP  APP
        4  UWAPP_ROOT      READ WRITE  YES  NO   NO
        6  UWAPP_ROOT$SEED MOUNTED      NO   YES  YES

SQL> ALTER PLUGGABLE DATABASE uwapp_root$seed OPEN;

Warning: PDB altered with errors.

SQL> ALTER PLUGGABLE DATABASE uwapp_root$seed OPEN READ ONLY;

Warning: PDB altered with errors.
```



Application Containers Demo 4: Create Seed (2:5)

```
SQL> host
[oracle@vbgeneric ~]$ cd $ORACLE_BASE/diag/orabase/orabase/trace
[oracle@vbgeneric trace]$ tail alert_orabase.log
UWAPP_ROOT$SEED(6):Opatch validation is skipped for PDB UWAPP_ROOT$SEED (con_id=0)
UWAPP_ROOT$SEED(6):*****
UWAPP_ROOT$SEED(6):WARNING: Pluggable Database UWAPP_ROOT$SEED with pdb id - 6 is
UWAPP_ROOT$SEED(6): altered with errors or warnings. Please look into
UWAPP_ROOT$SEED(6): PDB\_PLUG\_IN\_VIOLATIONS view for more details.
UWAPP_ROOT$SEED(6):*****
2017-04-19T18:45:58.662039-04:00
UWAPP_ROOT$SEED(6):Opening pdb with no Resource Manager plan active
Pluggable database UWAPP_ROOT$SEED opened read only
UWAPP_ROOT(4):Completed: ALTER PLUGGABLE DATABASE uwapp_root$seed OPEN READ ONLY
```

```
[oracle@vbgeneric ~]$exit
SQL> col time format a29
SQL> col name format a16
SQL> col type format a6
SQL> col cause format a30
SQL> col action format a22

SQL> SELECT time, name, cause, status, action
  2* FROM pdb\_plug\_inViolations;
```

TIME	NAME	CAUSE	STATUS	ACTION
19-APR-17 06.45.57.958082 PM	UWAPP_ROOT\$SEED	Non-Application PDB to Application PDB	PENDING	Run pdb_to_appdb.sql .



Application Containers Demo 4: Create Seed (3:5)

```
SQL> @?/rdbms/admin/pdb_to_appdb.sql
SQL> SET FEEDBACK 1
SQL> SET NUMWIDTH 10
SQL> SET LINESIZE 80
SQL> SET TRIMSPOLL ON
SQL> SET TAB OFF
SQL> SET PAGESIZE 100
SQL>
SQL> WHENEVER SQLERROR EXIT;
SQL>
SQL> VARIABLE cdbname VARCHAR2(128)
SQL> VARIABLE pdbname VARCHAR2(128)
SQL> VARIABLE appname VARCHAR2(128)
SQL> BEGIN
2 -- Disallow script in non-CDB
3 SELECT sys_context('USERENV', 'CDB_NAME')
4 INTO :cdbname
5 FROM dual
6 WHERE sys_context('USERENV', 'CDB_NAME') is not null;
7 -- Disallow script in CDB Root
8 -- Disallow script in PDB$SEED (Bug 22550952)
9 SELECT sys_context('USERENV', 'CON_NAME')
10 INTO :pdbname
11 FROM dual
12 WHERE sys_context('USERENV', 'CON_NAME') <> 'CDB$ROOT'
13 AND sys_context('USERENV', 'CON_NAME') <> 'PDB$SEED';
14 -- Disallow script outside of Application Container
15 SELECT sys_context('USERENV', 'APPLICATION_NAME')
16 INTO :appname
17 FROM dual
18 WHERE sys_context('USERENV', 'APPLICATION_NAME') is not null;
19 -- Disallow script in Proxy PDB (Bug 22550952). This query works
20 -- because remote mapping in Proxy PDB has been disabled using
21 -- the underscore parameter.
22 SELECT /*+ OPT_PARAM('_ENABLE_VIEW_PDB', 'FALSE') */ name
23 INTO :pdbname
24 FROM v$pdbs
25 WHERE proxy_pdb='NO';
26 END;
27 /
BEGIN
*
ERROR at line 1:
ORA-01422: exact fetch returns more than requested number of rows
ORA-06512: at line 22

Disconnected from Oracle Database 12c Enterprise Edition Release 12.2.0.1.0 - 64bit Production
[oracle@vbgeneric ~]$
```



Application Containers Demo 4: Create Seed (4:5)

- On dissecting the pdb_to_appdb.sql script the following was identified as the root cause of the error

```
SQL> SELECT /*+ OPT_PARAM('_ENABLE_VIEW_PDB', 'FALSE') */ name
  2  FROM v$pdbs
  3  WHERE proxy_pdb='NO';

NAME
-----
UWAPP_ROOT
UWAPP_ROOT$SEED
```

- Further examination of the script(s) found numerous examples of this

```
select TO_NUMBER('NOT_IN_APPLICATION_PDB') from v$pdbs
where con_id=sys_context('USERENV', 'CON_ID') and application_pdb<>'YES';
```

- Clearly the script has no choice but to fail
- More news on this in our Slack group as it becomes available



TNSNAMES.ORA

TNSNAMES Configuration

- Every time you add a new PDB ... you must also make a manual entry to TNSNAMES.ORA

```
# tnsnames.ora Network Configuration File:  
C:\app\oracle\product\12.1.0\dbhome_1\NETWORK\ADMIN\tnsnames.ora  
# Generated by Oracle configuration tools.  
  
PDBDEV =  
  (DESCRIPTION =  
    (ADDRESS_LIST =  
      (ADDRESS = (PROTOCOL = TCP) (HOST = 127.0.0.1) (PORT = 1521))  
    )  
    (CONNECT_DATA =  
      (SERVICE_NAME = pdbdev)  
    )  
  )  
  
PDBTEST =  
  (DESCRIPTION =  
    (ADDRESS = (PROTOCOL = TCP) (HOST = 127.0.0.1) (PORT = 1521))  
    (CONNECT_DATA =  
      (SERVER = DEDICATED)  
      (SERVICE_NAME = pdbtest)  
    )  
  )  
  
ORACLR_CONNECTION_DATA =  
  (DESCRIPTION =  
    (ADDRESS_LIST =  
      (ADDRESS = (PROTOCOL = IPC) (KEY = EXTPROC1521))  
    )  
    (CONNECT_DATA =  
      (SID = CLRExtProc)  
      (PRESENTATION = RO)  
    )  
  )
```

```
PDBPROD =  
  (DESCRIPTION =  
    (ADDRESS = (PROTOCOL = TCP) (HOST = 127.0.0.1) (PORT = 1521))  
    (CONNECT_DATA =  
      (SERVER = DEDICATED)  
      (SERVICE_NAME = pdbprod)  
    )  
  )  
  
ORABASE =  
  (DESCRIPTION =  
    (ADDRESS = (PROTOCOL = TCP) (HOST = 127.0.0.1) (PORT = 1521))  
    (CONNECT_DATA =  
      (SERVER = DEDICATED)  
      (SERVICE_NAME = orabase)  
    )  
  )
```




Conclusion

- Read the docs
- Download it
- Install it
- Learn it

- For demos that work in SQL*Plus
www.morganslibrary.org/library.html





The screenshot shows the Oracle Help Center homepage within a Mozilla Firefox browser window. The address bar displays 'docs.oracle.com/en/'. The page features the 'ORACLE' logo and a search bar. A sidebar on the right includes a 'Search' field, a 'Find a product' section, and a 'All Products' dropdown with a search input. Below this are four large circular icons representing 'Cloud', 'Applications', 'Middleware', and 'Database' services.

Oracle Help Center - Mozilla Firefox

File Edit View History Bookmarks Tools Help

Orade Help Center Downloads

docs.oracle.com/en/ DuckDuckGo Google meta? humor news oracle scitech Headlines

Search

ORACLE Help Center

Welcome Daniel Sign out

?

How can we help?

Welcome to the Oracle Help Center. Whether you are new to Oracle or an advanced user, you can find useful information about our products and services, ranging from getting started guides to advanced features.

Search

Find a product

All Products

Search products

Cloud

A broad selection of enterprise solutions for cloud computing

Applications

Choice & flexibility with a vast, secure portfolio of products


Middleware

Premier business innovation platform for enterprise & cloud

Database

Oracle databases lead the world delivering innovative solutions





Database Documentation - Oracle Database - Mozilla Firefox

File Edit View History Bookmarks Tools Help

Database Documentation ... Downloads

docs.oracle.com/en/database/

DuckDuckGo Google meta7 humor news oracle scitech Headlines

ORACLE Help Center

Welcome Daniel Sign Out

Search for... 

Home / Database

Database Documentation

Oracle provides a range of industry-leading on-premise and cloud-based solutions to meet the data management requirements from small and medium sized businesses to large global enterprises. These include the latest generation of the world's most popular database, Oracle Database 12c, the world's most popular open-source database, MySQL, as well as innovative In-Memory and NoSQL database solutions.

Oracle Database

Oracle Database 12c Release 2 (12.2) 

Learn About Oracle Database

Get Started
What's New
Oracle Live SQL

Common Tasks

Install and Upgrade
Administration
Development

1



ORACLE® Help Center

Search for... 

[Home](#) / [Database](#) / [Oracle](#) / [Oracle Database](#)


[Sign In](#)

Oracle Database Documentation

Oracle provides a range of industry-leading on-premise and cloud-based solutions to meet the data management requirements from small and medium sized businesses to large global enterprises. These include the latest generation of the world's most popular database, Oracle Database 18c.



Oracle Database

Oracle Database 18c 

Learn About Oracle Database

[Get Started](#)
[What's New](#)
[Tutorials](#)
[Oracle Live SQL](#)

Topics

[Install and Upgrade](#)
[Administration](#)
[Development](#)
[Security](#)
[Performance](#)
[Clustering](#)
[High Availability](#)
[Data Warehousing](#)
[Spatial and Graph](#)
[Distributed Data](#)



Downloads: <https://otn.oracle.com>

The screenshot shows a Mozilla Firefox browser window displaying the Oracle Technology Network (OTN) website at [www.oracle.com/technetwork/index.html](https://otn.oracle.com). The browser's address bar shows the URL. The page has a red header with the Oracle logo. The navigation bar includes links for Sign In/Register, Help, Country, Communities, I am a..., I want to..., a search bar, and menu items for Products, Solutions, Downloads (which is highlighted with a pink box), Store, Support, Training, Partners, and About. The OTN logo is also present. On the left, a sidebar titled 'Popular Downloads' lists Java for Developers, Java for Your Computer, Java SE, Solaris, MySQL, Oracle Fusion Middleware 11g, Oracle Database, and Prebuilt Developer VMs. The main content area is titled 'Oracle Database Software Downloads' and requires accepting the OTN License Agreement. A pink box highlights the 'Downloads' tab and the Oracle Database 12c Release 2 section. This section shows the release (12.2.0.1.0) for Standard Edition 2 and Enterprise Edition, with download links for Microsoft Windows x64 (64-bit), Linux x86-64, Oracle Solaris (SPARC systems, 64-bit), and Oracle Solaris (x86 systems, 64-bit), each with a file size and a 'See All' link.

Popular Downloads

- Java for Developers
- Java for Your Computer
- Java SE
- Solaris
- MySQL
- Oracle Fusion Middleware 11g
- Oracle Database
- Prebuilt Developer VMs

Downloads

Database

- Oracle Database
- Oracle Database 11g Express Edition
- MySQL
- Oracle Berkeley DB
- Oracle Instant Client
- Oracle Application Express
- See All...

Enterprise Management

- Oracle Enterprise
- Oracle Application
- See All...

Developer Tools

- Oracle JRockit
- Oracle SOA Suite
- See All...

Applications

- Solaris
- Linux and Oracle
- Firmware
- See All...

Oracle Database Software Downloads

You must accept the [OTN License Agreement](#) to download this software.

Accept License Agreement | Decline License Agreement

Oracle Database 12c Release 2

(12.2.0.1.0) - Standard Edition 2 and Enterprise Edition

Microsoft Windows x64 (64-bit)	File 1 (2.8 GB) See All
Linux x86-64	File 1 (3.2 GB) See All
Oracle Solaris (SPARC systems, 64-bit)	File 1 (3.1 GB) See All
Oracle Solaris (x86 systems, 64-bit)	File 1 (2.8 GB) See All



Download from edelivery (1:3)

ORACLE CLOUD

FAQ damorgan12c@gmail.com English Sign Out

Oracle Software Delivery Cloud

New to the site? Take a [tour](#)

Need Help? Contact Software Delivery Customer Service
New! *Provide Feedback*

To add items to your Selected Software cart, choose a Category by which you would like to search. Then, type in the term and either pick the software title from the drop down results or click the Search button to pick from expanded results. Alternately, you may select one of our most Popular Downloads, available below.

Once you begin searching, additional filters will appear to refine your search. In most cases, your search results will return both Releases (**REL** - a specific set of functionality) and Download Packages (**DLP** - a collection of related Releases).

After you have made your selection, the software title will immediately be placed into your Selected Software cart where you can assign a platform.

All Categories ▾

database enterprise edition

Search Clear Popular Downloads

- Oracle Database Enterprise Edition
- Oracle NoSQL Database Enterprise Edition
- Oracle Database 12c Enterprise Edition
- Enterprise Manager for MySQL Database
- JD Edwards EnterpriseOne Database
- MySQL Enterprise Edition
- MySQL Enterprise Edition Subscription (1-4 socket server) - Oracle 1-Click Ordering
- MySQL Enterprise Edition Subscription (5+ socket server) - Oracle 1-Click Ordering
- MySQL Enterprise Edition Subscription - Oracle 1-Click Ordering
- Oracle Argus Enterprise Edition
- Oracle Argus Safety Japan (Enterprise Edition)
- Oracle Business Intelligence Enterprise Edition
- Oracle Business Intelligence Enterprise Edition Documentation Media Library

<https://edelivery.oracle.com>



Downloads from edelivery (2:3)

ORACLE CLOUD

FAQ damorgan12c@gmail.com English Sign Out

Oracle Software Delivery Cloud

New to the site? Take a [tour](#)

Need Help? Contact Software Delivery Customer Service
New! [Provide Feedback](#)

To add items to your Selected Software cart, choose a Category by which you would like to search. Then, type in the term and either pick the software title from the drop down results or click the Search button to pick from expanded results. Alternately, you may select one of our most Popular Downloads, available below.

Once you begin searching, additional filters will appear to refine your search. In most cases, your search results will return both Releases (**REL** - a specific set of functionality) and Download Packages (**DLP** - a collection of related Releases).

After you have made your selection, the software title will immediately be placed into your Selected Software cart where you can assign a platform.

All Categories Oracle Database Enterprise Edition

All Commercial Linux/VM 1-Click Courseware Documentation

[DLP: Oracle Database Enterprise Edition 18.0.0.0.0 \(Oracle Database Enterprise Edition \)](#)
[DLP: Oracle Database 12c Enterprise Edition 12.2.0.1.0 \(Oracle Database Enterprise Edition \)](#)
[DLP: Oracle Database 12c Enterprise Edition 12.1.0.2.0 \(Oracle Database Enterprise Edition \)](#)
[DLP: Oracle Database 12c Enterprise Edition 12.1.0.1.0 \(Oracle Database Enterprise Edition \)](#)
[DLP: Oracle NoSQL Database Enterprise Edition 12.2.4.5.0](#)
[DLP: Oracle NoSQL Database Enterprise Edition 12.1.4.4.0](#)
[DLP: Oracle NoSQL Database Enterprise Edition 12.1.4.3.0](#)
[DLP: Oracle NoSQL Database Enterprise Edition 12.1.4.2.0](#)
[DLP: Oracle NoSQL Database Enterprise Edition 12.1.3.5.2](#)
[DLP: Oracle NoSQL Database Enterprise Edition 12.1.3.4.7](#)
[DLP: MySQL Enterprise Edition Subscription - Oracle 1-Click Ordering 0.0.0.0.0](#)
[DLP: Oracle Argus Enterprise Edition 8.1.0.0.0](#)
[DLP: Oracle Argus Enterprise Edition 8.0.0.0.0](#)
[DLP: Oracle Argus Enterprise Edition 7.0.2.0.0](#)
[DLP: Oracle Business Intelligence Suite Enterprise Edition for Oracle Applications 11.1.1.9.0](#)
[DLP: Oracle Database 11g Personal Edition 11.2.0.1.0](#)
[DLP: Oracle Database 11g Standard Edition One 11.2.0.2.0](#)
[DLP: Oracle Database 11g Standard Edition One 11.2.0.1.0](#)
[DLP: Oracle Database 11g Standard Edition One 11.2.0.0.0](#)
[DLP: Oracle Database 12c Personal Edition](#)

<https://edelivery.oracle.com>



Downloads from edelivery (3:3)

ORACLE CLOUD

FAQ damorgan12c@gmail.com English Sign Out

Oracle Software Delivery Cloud

New to the site? Take a [tour](#)

Need Help? Contact Software Delivery Customer Service
New! *Provide Feedback*

To continue, select the Platform/Language for each individual Release. To remove an item from the Selected Software Cart, please uncheck the box next to the title. Language Supplement Releases are optional; to include it where applicable, check the box next to the Release title and select your desired Language.

Back Remove All Continue


Selected Software	Terms and Restrictions	Platforms / Languages	Size
<input checked="" type="checkbox"/> Oracle Database Enterprise Edition 18.0.0.0.0 	Oracle Standard Terms and Restrictions		
<input checked="" type="checkbox"/> Oracle Database Global Service Manager (Exadata Only) 18.0.0.0.0		Linux x86-64 ▾	932.0 MB
<input checked="" type="checkbox"/> Oracle Database Client (Exadata Only) 18.0.0.0.0		Linux x86-64 ▾	1.3 GB
<input checked="" type="checkbox"/> Oracle Database (Exadata Only) 18.0.0.0.0		Linux x86-64 ▾	3.5 GB
<input checked="" type="checkbox"/> Oracle Database Grid Infrastructure (Exadata Only) 18.0.0.0.0		Linux x86-64 ▾	3.3 GB

Back Remove All Continue

<https://edelivery.oracle.com>



Deploy in the Cloud



File Edit View History Bookmarks Tools Help

Self-Driving Database | Autono X +

https://www.oracle.com/database/autonomous-database/index.html

DuckDuckGo Google meta7 DevOps humor news oracle scitech Headlines

Overview Autonomous Solutions Products Resources

“ Oracle’s database-as-a-service solution with integrated security and hybrid cloud management capabilities allows us to deliver and scale metered cloud services to our clients cost effectively. ”

—Aaron De Los Reyes, Senior Director, Oracle Technology, Cognizant

Cognizant

Get Started with Oracle Database

Free Cloud Trial

Tutorial

Contact Us

Attend an Event

<https://www.oracle.com/database/autonomous-database/index.html>



*

ERROR at line 1:

ORA-00028: your session has been killed



Thank You

